

PRODUCT SAFETY DATA SHEET

According to EC directive 91/155/EEC and subsequent amendments

Version: 1.0

Revision Date: 18/06/01

DOW CORNING® TRADE MATE LEAD & GUTTER**1. Identification of the Product.**

Commercial Name: Dow Corning® Trade Mate Lead & Gutter
 Name and Address of Supplier: Geocel Limited
 Western Wood Way
 Langage Science Park
 Plympton
 Plymouth
 PL7 5BG
 United Kingdom
 Main Switchboard: +44 (01752) 202060
 Main Fax: +44 (01752) 334384

2. Composition/Information on Ingredients.

Chemical characterisation: Silicone elastomer

Hazardous ingredients

Name	CAS No	Conc (%w/w)	Classification
Methyltrimethoxysilane	1185-55-3	2.2	Xn R22

3. Hazards Identification.

Not hazardous according to Council Directive 88/379/EEC and its subsequent amendments.

4. First Aid.

On contact with eyes: Flush with water.
On skin contact: Wipe off and wash with soap and water.
If inhaled: Remove to fresh air.
On ingestion: No first aid should be needed.

PRODUCT SAFETY DATA SHEET

According to EC directive 91/155/EEC and subsequent amendments

Version: 1.0

Revision Date: 18/06/01

DOW CORNING® TRADE MATE LEAD & GUTTER**5. Fire-Fighting Measures.**

Suitable extinguishing media:	Carbon dioxide, foam, dry powder or fine water spray. Water can be used to cool fire-exposed containers.
Unsuitable extinguishing media:	None known.
Hazards during fire fighting:	None known.
Special protective equipment/procedures:	A self-contained respirator and protective clothing should be worn. Keep containers cool with water spray until well after the fire is out. Determine the need to evacuate or isolate the area according to your local emergency plan.
Hazardous combustion products:	Silica. Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde.

6. Accidental Release Measures.

Personal precautions:	Wear proper protective equipment.
Precautions to protect the environment:	Do not allow large quantities to enter drains or surface waters.
Methods for cleaning up:	Scrape up and place in a container fitted with a lid. The spilled product produces an extremely slippery surface.

7. Handling and Storage.

Advice on safe handling:	General ventilation is recommended. Avoid skin and eye contact. Do not breathe vapour.
Advice on storage:	Do not store with oxidizing agents. Keep container closed and store away from water or moisture.
Unsuitable packaging materials:	None known.

PRODUCT SAFETY DATA SHEET

According to EC directive 91/155/EEC and subsequent amendments

Version: 1.0

Revision Date: 18/06/01

DOW CORNING® TRADE MATE LEAD & GUTTER**8. Exposure Controls and Personal Protection.****Exposure controls:** Refer to section 7**Exposure controls for hazardous components**

Name	CAS No	Exposure limits
Methyltrimethoxysilane	1185-55-3	200 ppm TWA, 250ppm STEL as methanol

Personal protection equipment

Respiratory protection: Suitable respiratory protection should be worn if the product is used in large quantities, confined spaces or in other circumstances where the OEL may be approached or exceeded.

Hand protection: Chemical protective gloves should be worn where repeated or prolonged contact can occur.

Eye protection: Safety glasses should be worn.

Skin protection: Protective equipment is not normally necessary.

Hygiene measures: Exercise good industrial hygiene practice. Wash after handling, especially before eating, drinking or smoking.

Additional information: None known.

9. Physical and Chemical Properties.**Appearance**

Form: Paste

Colours: Black, grey

Odour: None

Other data

Explosive properties: No

Specific gravity: 1.47

Water solubility: 0 g/l at 25°C

Oxidising properties: No

The above information is not intended for use in preparing product specification. Contact Geocel before writing specifications.

PRODUCT SAFETY DATA SHEET

According to EC directive 91/155/EEC and subsequent amendments

Version: 1.0

Revision Date: 18/06/01

DOW CORNING® TRADE MATE LEAD & GUTTER**10. Stability and Reactivity.****Conditions to avoid:** None established**Hazardous decomposition products:** See section 11**11. Toxicological Information.****On contact with eyes (3):** May cause temporary discomfort.**On skin contact (3):** No adverse effects are normally expected.**If inhaled (3):** Vapours evolved during curing may cause dizziness.**On ingestion (3):** Forms methanol and may cause serious injury at doses >200mg/kg.**Other health hazard information:** Product may emit formaldehyde vapours at temperatures above 150°C in the presence of air. Formaldehyde vapour is harmful by inhalation and irritating to eyes and respiratory system at breathing concentration less than one part per million (1ppm).

(1) Based on product test data.

(2) Based on assessments from related products.

(3) This information is based either on test data, extrapolation from tests on similar materials, review of component data, or a combination of these sources.

12. Ecological Information.**Environmental fate and distribution**

Solid material, insoluble in water. No adverse effects are predicted.

Ecotoxicity effects

No adverse effects on aquatic organisms are predicted.

Bioaccumulation: No bioaccumulation potential.**Fate and effects in waste water treatment plants**

No adverse effects on bacteria are predicted.

PRODUCT SAFETY DATA SHEET

According to EC directive 91/155/EEC and subsequent amendments

Version: 1.0

Revision Date: 18/06/01

DOW CORNING® TRADE MATE LEAD & GUTTER**13. Disposal Considerations.****Product disposal:** Dispose of in accordance with local regulations.**Packaging disposal:** Dispose of in accordance with local regulations.**14. Transport Information.****Road and rail (ADR/RID)**

Not subject to ADR/RID

Sea transport (IMDG)

Not subject to IMDG code

Air transport (ICAO)

Not subject to ICAO regulations.

15. Regulatory Information.**Labelling according to EEC directive****S-phrases:** S24 Avoid contact with skin
S51 Use only in well-ventilated areas.**National legislation/regulations****Ozone depleting chemicals:** No ozone depleting chemicals are present or used in manufacture.**Status****EINECS:** All ingredients listed or exempt.

PRODUCT SAFETY DATA SHEET

According to EC directive 91/155/EEC and subsequent amendments

Version: 1.0

Revision Date: 18/06/01

DOW CORNING® TRADE MATE LEAD & GUTTER

16. Other Information.

This product safety data sheet was prepared in compliance with Commission Directive 93/112/EC, 67/548/EEC and 88/379/EEC as well as their relevant amendments, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may see, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the Geocel product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Geocel Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with Commission Directive 88/379/EEC.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Geocel shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

As state above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local Geocel supplier a SDS applicable to the country in which the product is sold and intended to be use. Please note that the appearance of content of the SDS may vary – even for the same product – between different countries, reflecting the different compliance requirements. Should you have any question, please contact Geocel.